

Brand Name Interchange



Generic Belt Type & cross-sections	Carlisle	Browning	Dodge	Gates
Classical V-Belts †A, B, C, D	†Super Blue Ribbon (Example: BP85)	Super Gripbelt (Example: B85)	Sealed Life II (Example: B85)	Hi-Power II (Example: B85)
Heavy Duty Premium Classical A,B,C	Super II (Example: B85)	—	—	—
Classical Cogged Multiple AX, BX, CX, DX	Gold Ribbon Cog-Belt (Example: BX85)	Gripnotch (Example: BX85)	Dyna-Cog II (Example: BX85)	Tri-Power Vextra (Example: BX85)
Narrow Multiple 3V, 5V, 8V	Super Power-Wedge (Example: 5V850)	358 Gripbelt (Example: 5V850)	Dyna-V (Example: 5V850)	Super HC Vextra (Example: 5V850)
Narrow Cogged Multiple 3VX, 5VX, 8VX	Power-Wedge Cog-Belt (Example: 5VX850)	358 Gripnotch (Example: 5VX850)	Dyna-V Cogged (Example: 5VX850)	Super HC Molded Notch (Example: 5VX850)
Classical Banded RB, RC, RD	Super Vee-Band (Example: RBP85-3)	Gripband Polyband (Example: 3GBB85)	Sealed Life II (Example: 3XB85)	Hi-Power II Power-Band (Example: 3/B85)
Classical Cogged Banded RBX, RCX, RDX	Gold Ribbon Cog-Band (Example: RBX85-3)	Gripband (Example: 3GBBX85)	—	Tri-Power Molded Notch (Example: 3/BX85)
Narrow Banded R3V, R5V, R8V	Wedge-Band (Example: R5V850-3)	358 Gripband (Example: 3GB5V850)	Dyna-V Polyband (Example: 3X5V850)	Super HC Power-Band (Example: 3/5V850)
Double-V Hexagonal AA, BB, CC	Double Angle (Example: BB75)	Double-V Gripbelt (Example: BB75)	Double-V Hex Sealed Life II (Example: BB75)	Hi-Power Double V (Example: BB75)
Variable Speed 1228V-6136V	Variable Speed Cog-Belt (Example: 2322V721)	V-S Belt	Wide Range	Multi-Speed (Example: 2322V721)
V-Ribbed H, J, L, M	Vee-Rib (Example: 490J8)	Poly-V (Example: 490J8)	Poly-V (Example: 490J8)	Micro-V (Example: 490J8)
Timing Trapezoidal XL, L, H, XH, XXH	Synchro-Cog Timing	Gearbelt	Dyna-Sync	Power Grip
Dual Sided Timing XL, L, H	Dual Synchro-Cog Timing Double	Double Gearbelt	Dual Dyna-Sync	Power Grip Twin Power
Super High Torque Curvilinear 8M, 14M	RPP Panther	RPP Panther	—	‡Polychain GT2
Synchronous Curvilinear 5M, 8M, 14M	*RPP Plus	RPP Plus		Power Grip GT2
Dual Sided Curvilinear 8M, 14M	Dual RPP	Dual RPP		Power Grip GT2 Twin Power
Open End-Connector A, B, C, D	Connector	Griproll	Open End	E-Z Splice
Link/Twist Belting 3L, A, B, C	Thoro-Twist	Griplink	Flexlink	Vulco-Link
Light-Duty FHP 2L, 3L, 4L, 5L	Durapower II (Example: 4L400)	FHP (Example: 4L400)	FHP (Example: 4L400)	Truflex ** (Example: 2400)

† Carlisle uses an AP, BP, CP, DP, EP designation for classical v-belts while the majority of industry uses A, B, C, D, E.

‡ Polychain GT2 belts must be used with Polychain GT2 sprockets. They are not interchangeable with RPP sprockets.

* RPP profile is completely interchangeable with UPD, HTD, HTB, HT HPPD and HPT systems.

Contact Carlisle for information on these and other belt types not shown in this catalog.

** The part number consists of a prefix and a length designation. Prefixes: 2L = 0, 3L = 1, 4L = 2, 5L = 3

Brand Name Interchange (Continued)



Generic Belt Type & cross-sections	Thermoid	Goodyear	Maurey	Woods
Classical V-Belts A, B, C, D	Prime Mover (Example: B85)	HY-T Plus (Example: B85)	HY-T	Sure Grip (Example: BP85)
Heavy Duty Premium Classical A,B,C	—	—	—	—
Classical Cogged Multiple AX, BX, CX, DX	Prime Mover Cogged (Example: BX85)	Torque Flex (Example: BX85)	Torque Flex	Torque Flex II (Example: BX85)
Narrow Multiple 3V, 5V, 8V	Maxipower (Example: 5V850)	HY-T Wedge (Example: 5V850)	HY-T Wedge	Ultra V (Example: 5V850)
Narrow Cogged Multiple 3VX, 5VX, 8VX	Maxipower Cogged	HY-T Wedge Cog	HY-T Wedge Cog	Ultra V Cog (Example: 5VX850)
Classical Banded RB, RC, RD	Prime Mover Banded (Example: B85/3)	HY-T Torque Team (Example: 3/B85)	HY-T Torque Team	Sure Grip Banded (Example: 3RBP85)
Classical Cogged Banded RBX, RCX, RDX	—	Torque Team Cogged (Example: 3/BX85)	Torque Team Cogged	Cog Flex Banded (Example: 3RBX85)
Narrow Banded R3V, R5V, R8V	Maxi-Power Band (Example: 5V850/3)	HY-T Wedge Torque Team (Example: 3/5V850)	HY-T Wedge Torque Team	Ultra-V Band (Example: 3R5V850)
Double-V Hexagonal AA, BB, CC	Double V (Example: BB75)	Double-V (Example: BB75)	Double-V	Double (Hex) (Example: BB75)
Variable Speed 1228V-6136V	Variable Speed (Example: 2322V721)	Variable Speed (Example: 2322V721)	Variable Speed	Variable Speed (Example: 2322V721)
V-Ribbed H, J, L, M	Multi-Ribbed (Example: 490J8)	Poly-V (Example: 490J8)	Poly-V	Poly-V (Example: 490J8)
Timing Trapezoidal XL, L, H, XH, XXH	Grip-Tite Timing	Positive Drive Timing	Positive Drive Timing	Sure Grip Timing
Dual Sided Timing XL, L, H	Grip-Tite Dual Timing	Dual Positive Drive	Dual Positive Drive	Twin Power
Super High Torque Curvilinear (8M,14M)	—	Blackhawk (UPD)	—	QT Powerchain
Synchronous Curvilinear 5M, 8M, 14M	Grip-Tite HT	HPPD † Eagle Pd Whitehawk (UPD)	—	Sure-Grip HTD
Dual Sided Curvilinear 8M, 14M	—	—	—	—
Open End-Connector A, B, C, D	Open End	Open End	Open End	Open End
Link-Segmented O, A, B, C	V-Link	—	—	Sure Link
Light-Duty FHP 2L, 3L, 4L, 5L	FHP Glasstex (Example: 4L400)	FHP (Example: 4L400)	FHP	Light Duty (Example: 4L400)

†Eagle Pd is a helical offset (herringbone) low noise tooth profile — not interchangeable with RPP
Contact Carlisle for information on these and other belt types not shown in this catalog.

Brand Name Interchange (Continued)



Generic Belt Type & cross-sections	Jason	Bando	Optibelt	PIX
Classical V-Belts A, B, C, D	Uni-Match v-belts (Example: B85)	Power King	VB S=C (Example: B85)	Power-Wrap
Heavy Duty Premium Classical A,B,C	—	—	—	—
Classical Cogged Multiple AX, BX, CX, DX	Uni-Match cogged (Example: BX85)	Power King Cog	Super TX M=S (Example: BX85)	Power-Edge
Narrow Multiple (3V, 5V, 8V)	Uni-Match Deep Wedge (Example: 5V850)	Power Ace	SK S=C (Example: 5V850)	High capacity narrow
Narrow Cogged Multiple 3VX, 5VX, 8VX	Uni-Match cogged raw edge (Example: 5VX850) (Example: 5VX850)	Power Ace Cog	Super TX M=S (Example: 5VX850)	Cogged wedge
Classical Banded (RB, RC, RD)	banded (Example: RB85, 3 BANDS)	Uni-Match Power King Combo	Kraftbands KB	Power Bank
Classical Cogged Banded RBX, RCX, RDX	Uni-Match	—	Kraftbands KBX	—
Narrow Banded R3V, R5V, R8V	Uni-Match deep wedge banded (Example: R5V850-3)	Power Ace Combo	Kraftbands KB	—
Double-V Hexagonal AA, BB, CC	Double Multiple V-Belt (Example: BB75)	Double V	Double V-Belt DK (Example: BB75)	Hexagonal v-belts
Variable Speed 1228V-6136V	Variable Speed (Example: 2322V721)	Power Max	Super VX Super DVX (Example: 2322V721)	Harvester Vari-Speed
V-Ribbed H, J, L, M	Multi-Rib	Rib Ace	Ribbed Belt RB	Power Rib/Micro Rib
Timing Trapezoidal XL, L, H, XH, XXH	Standard Timing	Synchro-Link	Timing Belt ZR	—
Dual Sided Timing XL, L, H	Dual Timing	Synchro-Link Double Sided	Double Timing ZRD	—
Super High Torque Curvilinear 8M, 14M	Tiger	—	—	—
Synchronous Curvilinear 5M, 8M, 14M	HTB (HTD)	STS Super Torque (STPD) HT (HTD)	HTD	—
Dual Sided Curvilinear 8M, 14M	Dual HTB (HTD)	—	—	—
Open End-Connector A, B, C, D	—	—	Optimat OE	—
Link-Segmented O, A, B, C	Accu-Link	—	Link Belting LB	—
Light-Duty FHP 2L, 3L, 4L, 5L	FHP	Duraflex GL	— (Example: 4L400)	—